

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2001 Population		119,830		Community Options and MA Waiver Programs		Per 10,000		
Population per square mile		278				Staffing - FTE		Number
County ranking in state (1-72)		9				Total staff		18
				COP		Administrative		3
				MA Waiver *		Professional staff		8
Age	Female	Male	Total			Technical/Paraprof.		1
0-14	12,760	13,630	26,400	CIP1A		Support staff		6
15-19	4,000	4,400	8,400	CIP1B				
20-24	2,710	3,050	5,760	CIP2				
25-29	3,340	3,380	6,720	COP-W				
30-34	4,530	4,480	9,010	CSLA				
35-39	5,720	5,700	11,410	Brain Injury				
40-44	5,230	5,430	10,650	Total COP/Wvrs				
45-54	8,610	8,750	17,360					
55-64	5,340	5,300	10,640					
65-74	3,750	3,280	7,030					
75-84	2,830	1,910	4,750					
85+	1,230	470	1,700					
Total	60,050	59,770	119,830					
Age	Female	Male	Total					
0-17	15,450	16,500	31,960					
18-44	22,840	23,570	46,390					
45-64	13,950	14,050	28,000					
65+	7,810	5,660	13,480					
Total	60,050	59,770	119,830					
Poverty Estimates for 2000								
Estimate		(C.I.+/-)						
All ages	4,248	350						
	3.6%	(8%)						
Ages 0-17	1,401	190						
	4.5%	(14%)						
----- EMPLOYMENT -----								
Average wage for jobs covered by unemployment compensation		\$29,474		Home Health Agencies				
Note: based on place of work				Patients				
				Patients per 10,000 pop.				
Annual								
Labor Force Estimates		Average		Nursing Homes				
				Licensed beds				
Civilian Labor Force		68,492		Occupancy rate				
Number employed		65,899		Residents on Dec.31				
Number unemployed		2,593		Residents age 65 or older				
Unemployment rate		3.8%		per 1,000 population				

NATALITY

NATALITY												
TOTAL LIVE BIRTHS			1,484	Birth Order		Births	Percent	Marital Status of Mother		Births	Percent	
Crude Live Birth Rate			12.4	First		565	38	Married		1,233	83	
General Fertility Rate			58.1	Second		549	37	Not married		251	17	
Live births with reported congenital anomalies			13	0.9%	Third		229	15	Unknown		0	0
					Fourth or higher		141	10				
					Unknown		0	0				
Delivery Type			Births	Percent	First Prenatal Visit		Births	Percent	Education of Mother		Births	Percent
Vaginal after previous cesarean			34	2	1st trimester		1,381	93	Elementary or less		9	1
Forceps			18	1	2nd trimester		86	6	Some high school		80	5
Other vaginal			1,166	79	3rd trimester		14	1	High school		440	30
Primary cesarean			168	11	No visits		2	<.5	Some college		422	28
Repeat cesarean			98	7	Unknown		1	<.5	College graduate		532	36
Other or unknown			0	0					Unknown		1	<.5
Birthweight			Births	Percent	Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother		Births	Percent
<1,500 gm			12	0.8	No visits		2	<.5	Smoker		189	13
1,500-2,499 gm			74	5.0	1-4		9	1	Nonsmoker		1,294	87
2,500+ gm			1,398	94.2	5-9		85	6	Unknown		1	<.5
Unknown			0	0	10-12		538	36				
					13+		845	57				
					Unknown		5	<.5				
Race of Mother			Births	Percent	Low Birthweight (under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknown	
					Births		Births		Births		Births	
White			1,437	97	83		1,342		79		16	
Black			8	1	.		7		.		1	
Other			38	3	7.9		31		18		.	
Unknown			1	<.5	*		*		*		*	
Age of Mother			Births	Fertility Rate	Low Birthweight (under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknown	
					Births		Births		Births		Births	
<15			0	--	
15-17			21	8	1		14		4		3	
18-19			55	42	4		39		15		1	
20-24			237	88	17		216		18		3	
25-29			407	122	29		388		16		3	
30-34			480	106	19		458		19		3	
35-39			243	42	14		232		10		1	
40+			41	8	2		34		4		3	
Unknown			0	--	
Teenage Births			76	19								
* Not reported: age or race category has less than 5 births												

MORTALITY

REPORTED* CASES OF SELECTED DISEASES			Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.		
Disease	Number	TOTAL DEATHS	827	Selected	
Campylobacter Enteritis	19	Crude Death Rate	689	Underlying Cause	Deaths Rate
Giardiasis	12			Heart Disease (total)	225 188
Hepatitis Type A	0			Ischemic heart disease	155 129
Hepatitis Type B**	0	Age	Deaths Rate	Cancer (total)	216 180
Hepatitis NANB/C	13	1-4	1 .	Trachea/Bronchus/Lung	58 48
Legionnaire's	<5	5-14	5 .	Colorectal	23 19
Lyme	<5	15-19	4 .	Female Breast	12 .*
Measles	0	20-34	9 .	Cerebrovascular Disease	69 58
Meningitis, Aseptic	<5	35-54	73 185	Lower Resp. Disease	41 34
Meningitis, Bacterial	0	55-64	73 686	Pneumonia & Influenza	25 21
Mumps	0	65-74	150 2,133	Accidents	49 41
Pertussis	0	75-84	249 5,250	Motor vehicle	22 18
Salmonellosis	5	85+	256 15,077	Diabetes	19 .
Shigellosis	6			Infectious & Parasitic	2 .
Tuberculosis	0			Suicide	11 .
* 2001 provisional data		Infant		* Rate for female breast cancer based on female population.	
** Includes all positive HBsAg test results		Mortality	Deaths Rate	ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH	
		Total Infant	7 .	Alcohol	7 .
		Neonatal	6 .	Other Drugs	7 .
		Postneonatal	1 .	Both Mentioned	3 .
		Unknown	. .	----- MOTOR VEHICLE CRASHES -----	
Sexually Transmitted Disease		Race of Mother		Note: These data are based on location of crash, not on residence.	
Chlamydia Trachomatis	96	White	7 .	Type of Motor	Persons Persons
Genital Herpes	53	Black	. .	Vehicle Crash	Injured Killed
Gonorrhea	13	Other	. .	Total Crashes	1,067 19
Syphilis	0	Unknown	. .	Alcohol-Related	130 8
----- IMMUNIZATIONS -----		Birthweight		With Citation:	
Children in Grades K-12 by		<1,500 gm	5 .	For OWI	202 2
Compliance Level		1,500-2,499 gm	1 .	For Speeding	423 0
Compliant	22,960	2,500+ gm	1 .	Motorcyclist	56 5
Non-compliant	527	Unknown	. .	Bicyclist	14 0
Percent Compliant	97.8	Perinatal		Pedestrian	16 1
		Mortality	Deaths Rate		
		Total Perinatal	10 .		
		Neonatal	6 .		
		Fetal	4 .		

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	783	6.5	4.8	\$16,848	\$110	Total	269	2.2	2.6	\$3,495	\$8
<18	75	2.3	3.3	\$14,269	\$33	18-44	167	3.6	2.3	\$2,780	\$10
18-44	200	4.3	4.1	\$14,992	\$65	45-64	72	2.6	2.8	\$4,369	\$11
45-64	181	6.5	4.7	\$18,093	\$117	Pneumonia and Influenza					
65+	327	24.3	5.7	\$17,885	\$434	Total	260	2.2	5.1	\$9,980	\$22
Injury: Hip Fracture						<18	34	1.1	2.9	\$6,710	\$7
Total	88	0.7	5.9	\$18,307	\$13	45-64	47	1.7	5.0	\$10,628	\$18
65+	79	5.9	6.1	\$18,487	\$108	65+	147	10.9	5.9	\$10,643	\$116
Injury: Poisonings						Cerebrovascular Disease					
Total	58	0.5	2.1	\$5,879	\$3	Total	275	2.3	4.7	\$14,400	\$33
18-44	38	0.8	1.5	\$5,185	\$4	45-64	56	2.0	4.5	\$17,165	\$34
Psychiatric						65+	210	15.6	4.6	\$13,119	\$204
Total	536	4.5	6.7	\$6,858	\$31	Chronic Obstructive Pulmonary Disease					
<18	64	2.0	9.3	\$8,796	\$18	Total	142	1.2	4.4	\$8,526	\$10
18-44	301	6.5	5.5	\$5,014	\$33	<18	19
45-64	87	3.1	6.5	\$7,109	\$22	18-44	14
65+	84	6.2	9.1	\$11,727	\$73	45-64	31	1.1	4.0	\$8,883	\$10
Coronary Heart Disease						65+	78	5.8	5.7	\$10,384	\$60
Total	575	4.8	3.9	\$27,077	\$130	Drug-Related					
45-64	236	8.4	3.1	\$27,464	\$231	Total	54	0.5	6.2	\$5,447	\$2
65+	329	24.4	4.5	\$26,904	\$657	18-44	34	0.7	2.2	\$2,679	\$2
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	433	3.6	6.6	\$21,146	\$76	Total	10,720	89.4	4.2	\$11,590	\$1,036
18-44	41	0.9	7.2	\$29,080	\$26	<18	1,859	58.2	3.1	\$5,369	\$312
45-64	150	5.4	5.1	\$17,480	\$94	18-44	2,938	63.3	3.1	\$8,355	\$529
65+	238	17.7	7.5	\$22,005	\$389	45-64	2,202	78.6	4.3	\$14,995	\$1,179
Neoplasms: Female Breast (rates for female population)						65+	3,721	276.2	5.5	\$15,238	\$4,208
Total	34	0.6	2.9	\$12,729	\$7	----- PREVENTABLE HOSPITALIZATIONS* -----					
Neoplasms: Colo-rectal						Total	1,063	8.9	4.2	\$8,396	\$74
Total	54	0.5	8.0	\$22,080	\$10	<18	139	4.4	1.9	\$4,049	\$18
65+	36	2.7	8.9	\$24,350	\$65	18-44	126	2.7	2.7	\$6,862	\$19
Neoplasms: Lung						45-64	225	8.0	4.1	\$8,826	\$71
Total	43	0.4	7.1	\$19,612	\$7	65+	573	42.5	5.1	\$9,619	\$409
Diabetes						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	108	0.9	4.2	\$9,142	\$8						
65+	47	3.5	5.5	\$10,480	\$37						